Appendix 1. De	efinitions of	vascular	events	and	mortality
----------------	---------------	----------	--------	-----	-----------

Outcome event	Definition		
Myocardial infarction	At least two of the following criteria:		
	(I) Chest pain for at least 20 min, not disappearing after administration of nitrates;		
	 (II) ST-elevation > 1 mm in two following leads or a left bundle branch block on the electrocardiogram; 		
	(III) Troponin elevation above clinical cut-off values or creatinine kinase (CK) elevation of at least two times the normal value of CK and a myocardial band-fraction > 5% of the total CK.		
	Sudden death: unexpected cardiac death occurring within 1 hour after onset of symptoms, or within 24 hours given convincing circumstantial evidence. ICD-10 codes I21-22, I46.1, R96		
Stroke	Relevant clinical features causing an increase in impairment of at least one grade on the modified Rankin scale, preferably with evidence of intracerebral hemorrhage or ischemia on brain imaging. ICD-10 codes I60-61, I63-64		
Vascular mortality	Death from stroke, myocardial infarction, congestive heart failure, or rupture of abdominal aortic aneurysm. Vascular death from other causes ICD-10 codes I00-28, I31, I34-37, I42-99, F01, K55, R96		
Major cardiovascular events	A composite of stroke, myocardial infarction, retinal infarction, and vascular mortality. ICD-10 codes I21-22, I46.1, I60-61, I63-64, H34.1, H34.8 or death resulting from ICD-10 codes I00-28, I31, I34-37, I42- 99, F01, K55, R96		
All-cause mortality	Death from any cause Death resulting from ICD-10 codes A00-Y98		